

# Marking of insulating glass units

(November 2024) (Second issue – supersedes January 2016)

The Technical Guidance Notes are produced by NHBC as guidance solely for our builder customers as to how to interpret the technical requirements in relation to the warranty cover provided by NHBC under its Buildmark, Buildmark Choice, Buildmark Link, Buildmark Solo, Buildmark Connect or any similar product from time to time. It has not been created or intended for distribution or use outside of that purpose. The information contained in this Technical Guidance Note does not constitute advice and is not to be relied upon by any third party. Nothing in this Technical Guidance Note is intended to, nor should it be taken to, create any legal or contractual relationship. Any third party who chooses to rely upon the information contained in the Technical Guidance Notes shall do so entirely at their own risk and NHBC accepts no duty of care or liability, however caused, in connection with its use or reliance by any third party.

## Question

What markings should be shown on insulating glass units (IGU's) to comply with NHBC Standards?

## Considerations

- NHBC Standards clause 6.7.7 states IGU's should comply with the requirements of BS EN 1279 and have third party certification scheme.

## Answer

IGU's produced to BS EN 1279 should be marked to show the unit manufacturer's name or trade mark and the marking requirements of the third party certification schemes. Acceptable third party certification schemes include:

- BSI Kitemark scheme, which is shown as 'KM', followed by a five-figure number.
- BM TRADA 'Q-Mark' scheme, which is shown as 'QM 029/' followed by a three figure number. (earlier Q-Mark IGU's were shown as 'QM 068/' followed by a three figure number).
- CENSolutions CMS scheme, which is shown as 'CMS' followed by a four figure number.
- BuildCheck certification scheme, which is shown as 'BC' followed by a four figure number.
- Norwegian Building Research Institute certification scheme, which is shown as 'NPS' followed a four figure number.
- SP Technical Research Institute of Sweden 'P' mark scheme, which is shown as 'P' mark and 'SC' followed by a four figure number and a dash line and a two figure number.
- Danish DS certification scheme, which is shown as manufacturer's certification number and the DS logo e.g. XXX=D=
- Danish Technological Institute GTC certification scheme, which is shown as 'GTC' followed by a three or four figure number.
- ift Rosenheim ift-Q-Zert certification scheme, which is shown by the number '692' followed by a seven figure number.

All markings should be legible and permanent. The markings should be applied to the spacer bar between the panes of glass and not the glass. This is to avoid confusion with any safety glass markings that, if required, are applied to the glass (see Technical Guidance 6.7/17).



**NHBC, NHBC House, Davy Avenue, Knowlhill, Milton Keynes, Bucks MK5 8FP**  
**Tel: 0344 633 1000 Web: nhbc.co.uk**

National House-Building Council (NHBC) is authorised by the Prudential Regulation Authority and regulated by the Financial Conduct Authority and the Prudential Regulation Authority for carrying on insurance business and insurance distribution activities.

NHBC is registered in England and Wales under company number 00320784. NHBC's registered address is NHBC House, Davy Avenue, Knowlhill, Milton Keynes, Buckinghamshire, MK5 8FP. Note that only certain parts of our products and services are within the scope of UK financial services regulations. For more information on our products and services, please see our website [nhbc.co.uk](http://nhbc.co.uk) or your NHBC product documentation.